


Equipment Rentals

Pricing

Item	Rental Fee	Replacement Cost
Epson PowerLite Projector	\$50.00/day	\$410.00
Projector Screen	\$25.00/day	\$150.00
eBeam Smart Board Device	\$50.00/day	\$1000.00
Popcorn Machine	\$50.00/day	\$500.00
K8 Speaker and Mic	\$50.00/day	\$1200.00

Items Available for Rent

Epson PowerLite Projector



- Ultra bright 1400 ANSI lumens; weighs just 7 lb
- Multiple inputs for both computer and high-end video compatibility including, component, s-video, and composite
- Selectable projection modes for video games, home entertainment, and even well-lit rooms
- Monitor out capability for simultaneous viewing on monitor and screen
- Color-coded cables for easy setup
- Quick start-up and shut-down time
- Soft carrying case included

Projector Screen



- Light weight and easy to set up. This screen is perfect for use with our projector.

eBeam Smart Board Device



eBeam Edge Wireless brings interactivity to any surface, quickly transforming your classroom or meeting room into a dynamic learning environment where students and colleagues can focus, participate and collaborate. For more about this product visit the [eBeam website](#).



Popcorn Machine



Great for all your events!

- Switches include: spot light warmer, stirrer and pot heater
- All metal gearbox
- Kernel and oil scoop is included
- Heavy-duty powder coated steel and stainless steel construction
- 860-watt (commercial quality and certified)

K8 Speaker and Mic



- 8" Woofer; 1.75" diaphragm compression driver
- 105° Nominal coverage angle
- Maximum SPL 127 dB peak
- 1000-watt continuous Class D power modules in all models
- Onboard mixer with two combo XLR and 1/4" inputs, and stereo RCA inputs, (three audio input sources); two direct channel outputs and single summed balanced output
- Extensive DSP enhances system performance
- DMT™ (Directivity Matched Transition) provides for matched LF and HF coverage across the entire listening area, eliminating unnatural "dead" or "hot" frequency zones.
- Intrinsic Correction™, first featured in our high-end line-array products maps 65–75 spatially-averaged measurements to IIR and FIR filters that actively adjust time, frequency and amplitude response to a maximally flat band pass target. The result is a speaker that behaves equally well across the entire sound field.

- DEEP™ and excursion limiting allow for extended low-frequency response by actively managing low-frequency transients without degradation of the underlying signal or adjacent frequencies.
- GuardRail™ protection protects both the amplifier module and your performance from unnatural and destructive clipping.
- Attractive and professional appearance
- Rugged ABS enclosures
- 16-gauge powder coated steel grille
- Comfortable ergonomic handles
- 35 mm pole sockets with Tilt-Direct™
- M10 rigging points
- Microphone included